INDEX

Metals Engineering Quarterly — Volume 7, 1967

Index of Authors

(The first number cited is the issue number, the second is the page.)

Agricola, K. R. ..... 3—59-63
Apodaca, D. R. ..... 1—23-27
Atkin, H. P. ..... 1—17-22
Babel, H. W. ..... 1—45-53
Bell, J. C. ..... 1—28-35
Bradley, E. F. ..... 2—29-32
Buckley, Donald H. ..... 2—44-53
Burley, Carlton E. ..... 3—49-54
Cerini, J. P. ..... 2—33-43
Chelius, Jack ..... 3—57-59
Cohen, Morris ..... 4—54-61
Coley, Francis H. ..... 3—1-4
Cooney, J. E. ..... 1—58-63
Corn, D. L. ..... 1—45-53
Devine, M. J. ..... 2—33-43
Donachie, M. J., Jr. ..... 1—36-45
Echer, C. J. ..... 1—58-63
Feige, Norman G. .. 1—53-58; 3—27-29
Foster, W. P. ..... 2—59-64
Glaeser, W. A. ..... 2—53-58
Greenstine, R. B. ..... 1—8-16
Hazlett, T. H. ..... 1—1-7
Holtz, F. C. ..... 3—54-57
Jones, Richard T. ..... 3—37-48
Kalish, David ..... 4—54-61
Kane, Robert L. ..... 3—27-29
Kannel, J. W. ..... 1—28-35
Keck, George H. ..... 4—42-49
Kish, A. J. ..... 1—58-63
Kulin, S. A. ..... 4—54-61
Ling, F. F. ..... 2—1-3
Linnert, George E. ..... 4—1-15
Louvier, J. G. ..... 1—23-27
Murphy, T. ..... 1—53-58
Murray, S. F. ..... 2—22-29
Paul, J. F. ..... 4—50-54
Peterson, M. B. ..... 2—22-29
Rabinowicz, Ernest ..... 2—4-8
Snyder, J. T. ..... 3—59-63
Stallings, L. ..... 2—33-43
Steijn, R. P. ..... 2—9-21
Sudrabin, D. A. ..... 3—10-26
Sullivan, C. P. ..... 1—36-45
Sullivan, R. P. ..... 4—16-41
Tuthill, A. H. ..... 3—10-26
Van Thyme, R. J. ..... 3—54-57
Wanderer, Edward T. ..... 3—30-36
Wang, G. S. C. ..... 3—5-10
Wei, Maurice W. ..... 3—30-36

Subject Index

Abradable, shrouds
  factors influencing wear ..... 2—60-61
  wear ..... 2—60-63
  wear processes ..... 2—61-63
Acetal resins
  sliding and bearing applications ..... 2—18
Adhesive, wear of ..... 2—6-8
Aluminum
  finishing ..... 3—53-54
  heat treating ..... 3—51-53
  melting and casting ingots ..... 3—49-50
  nondestructive testing ..... 3—49-54
Aluminum alloys
  effect of Cu on corrosion ..... 3—35
  effect of Fe on corrosion ..... 3—34-35
  in desalination plants ..... 3—30-36
Aluminum alloys
  explosive deformation ..... 3—59-63
  stress-corrosion resistance ..... 3—59-63
Aluminum castings
  fatigue properties ..... 1—25-27
  tensile properties ..... 1—24-27
Aluminum oxides
  friction ..... 2—22-24
Ausforming
  of martensitic steels ..... 4—59-60
Austenitic stainless steels ..... 4—7-13
  corrosion resistance ..... 4—7-9
  cracking of welded joints ..... 4—9, 11
    effect of Mo ..... 3—47
  filler metals ..... 4—5-6, 13
  service at high temperature ..... 4—13
  shielded metal-arc welding ..... 4—16-19
  welding dissimilar metals ..... 4—39-40
  welding of clad plate ..... 4—37-39
  welding procedures ..... 4—11-13
Austenitic stainless steels
  18-8 stainless steel
Bearings
  cemented carbides ..... 2—57
  ceramics ..... 2—56-57
  cermets ..... 2—56
  graphite ..... 2—57
  refractory metal alloys ..... 2—55
  solid lubricants ..... 2—39-41
  super alloys ..... 2—55-56
  tool steels ..... 2—55
Boron
  effect in Ni superalloys ..... 1—38-39
Boron composites ..... 1—17-22
  fabrication by casting ..... 1—13-14
  fabrication by diffusion bonding ..... 1—12-13
  fabrication by electrodeposition ..... 1—14
  fabrication by plasma spraying ..... 1—14
  fabrication by powder metallurgy ..... 1—9-11
Boron filaments
  fatigue testing ..... 1—20
  influence of fiber orientation ..... 1—19-20
Brazing ..... 4—52-54
  joint design ..... 4—52-53
  of stainless steels ..... 4—52-54
  postcleaning ..... 4—54
  precleaning ..... 4—53
  selection of filler metal ..... 4—53
Butt welding
  flash welding ..... 4—46-47
  of stainless steels ..... 4—46-49
  upset welding ..... 4—47-49
Carbide precipitation
  in Ni superalloys ..... 1—38, 42
Carbides
  use in cutting tools ..... 3—56
Carburization
  in stainless steels ..... 4—1
Cathodic protection
  of stainless steels ..... 3—47
Cemented carbides
  in bearings ..... 2—56-57
Ceramics
  in bearings ..... 2—56-57
  surface damage ..... 2—24-25
  use in cutting tools ..... 3—56
Cermets
  in bearings ..... 2—56
  sliding ..... 2—27-28
Chromium steels, specific types
  12% Cr steels
    corrosion in sea water ..... 3—37-39
    in desalination ..... 3—37-48
  17% Cr steels
    corrosion in sea water ..... 3—37-39
    in desalination ..... 3—37-48
Coatings
  in Ni superalloys ..... 1—43

INDEX

Metals Engineering Quarterly — Volume 7, 1967

Index of Authors

(The first number cited is the issue number, the second is the page.)

Agricola, K. R. ..... 3—59-63
Apodaca, D. R. ..... 1—23-27
Atkin, H. P. ..... 1—17-22
Babel, H. W. ..... 1—45-53
Bell, J. C. ..... 1—28-35
Bradley, E. F. ..... 2—29-32
Buckley, Donald H. ..... 2—44-53
Burley, Carlton E. ..... 3—49-54
Cerini, J. P. ..... 2—33-43
Chelius, Jack ..... 3—57-59
Cohen, Morris ..... 4—54-61
Coley, Francis H. ..... 3—1-4
Cooney, J. E. ..... 1—58-63
Corn, D. L. ..... 1—45-53
Devine, M. J. ..... 2—33-43
Donachie, M. J., Jr. ..... 1—36-45
Echer, C. J. ..... 1—58-63
Feige, Norman G. .. 1—53-58; 3—27-29
Foster, W. P. ..... 2—59-64
Glaeser, W. A. ..... 2—53-58
Greenstine, R. B. ..... 1—8-16
Hazlett, T. H. ..... 1—1-7
Holtz, F. C. ..... 3—54-57
Jones, Richard T. ..... 3—37-48
Kalish, David ..... 4—54-61
Kane, Robert L. ..... 3—27-29
Kannel, J. W. ..... 1—28-35
Keck, George H. ..... 4—42-49
Kish, A. J. ..... 1—58-63
Kulin, S. A. ..... 4—54-61
Ling, F. F. ..... 2—1-3
Linnert, George E. ..... 4—1-15
Louvier, J. G. ..... 1—23-27
Murphy, T. ..... 1—53-58
Murray, S. F. ..... 2—22-29
Paul, J. F. ..... 4—50-54
Peterson, M. B. ..... 2—22-29
Rabinowicz, Ernest ..... 2—4-8
Snyder, J. T. ..... 3—59-63
Stallings, L. ..... 2—33-43
Steijn, R. P. ..... 2—9-21
Sudrabin, D. A. ..... 3—10-26
Sullivan, C. P. ..... 1—36-45
Sullivan, R. P. ..... 4—16-41
Tuthill, A. H. ..... 3—10-26
Van Thyme, R. J. ..... 3—54-57
Wanderer, Edward T. ..... 3—30-36
Wang, G. S. C. ..... 3—5-10
Wei, Maurice W. ..... 3—30-36

Subject Index

Abradable, shrouds
  factors influencing wear ..... 2—60-61
  wear ..... 2—60-63
  wear processes ..... 2—61-63
Acetal resins
  sliding and bearing applications ..... 2—18
Adhesive, wear of ..... 2—6-8
Aluminum
  finishing ..... 3—53-54
  heat treating ..... 3—51-53
  melting and casting ingots ..... 3—49-50
  nondestructive testing ..... 3—49-54
Aluminum alloys
  effect of Cu on corrosion ..... 3—35
  effect of Fe on corrosion ..... 3—34-35
  in desalination plants ..... 3—30-36
Aluminum alloys
  explosive deformation ..... 3—59-63
  stress-corrosion resistance ..... 3—59-63
Aluminum castings
  fatigue properties ..... 1—25-27
  tensile properties ..... 1—24-27
Aluminum oxides
  friction ..... 2—22-24
Ausforming
  of martensitic steels ..... 4—59-60
Austenitic stainless steels ..... 4—7-13
  corrosion resistance ..... 4—7-9
  cracking of welded joints ..... 4—9, 11
    effect of Mo ..... 3—47
  filler metals ..... 4—5-6, 13
  service at high temperature ..... 4—13
  shielded metal-arc welding ..... 4—16-19
  welding dissimilar metals ..... 4—39-40
  welding of clad plate ..... 4—37-39
  welding procedures ..... 4—11-13
Austenitic stainless steels
  18-8 stainless steel
Bearings
  cemented carbides ..... 2—57
  ceramics ..... 2—56-57
  cermets ..... 2—56
  graphite ..... 2—57
  refractory metal alloys ..... 2—55
  solid lubricants ..... 2—39-41
  super alloys ..... 2—55-56
  tool steels ..... 2—55
Boron
  effect in Ni superalloys ..... 1—38-39
Boron composites ..... 1—17-22
  fabrication by casting ..... 1—13-14
  fabrication by diffusion bonding ..... 1—12-13
  fabrication by electrodeposition ..... 1—14
  fabrication by plasma spraying ..... 1—14
  fabrication by powder metallurgy ..... 1—9-11
Boron filaments
  fatigue testing ..... 1—20
  influence of fiber orientation ..... 1—19-20
Brazing ..... 4—52-54
  joint design ..... 4—52-53
  of stainless steels ..... 4—52-54
  postcleaning ..... 4—54
  precleaning ..... 4—53
  selection of filler metal ..... 4—53
Butt welding
  flash welding ..... 4—46-47
  of stainless steels ..... 4—46-49
  upset welding ..... 4—47-49
Carbide precipitation
  in Ni superalloys ..... 1—38, 42
Carbides
  use in cutting tools ..... 3—56
Carburization
  in stainless steels ..... 4—1
Cathodic protection
  of stainless steels ..... 3—47
Cemented carbides
  in bearings ..... 2—56-57
Ceramics
  in bearings ..... 2—56-57
  surface damage ..... 2—24-25
  use in cutting tools ..... 3—56
Cermets
  in bearings ..... 2—56
  sliding ..... 2—27-28
Chromium steels, specific types
  12% Cr steels
    corrosion in sea water ..... 3—37-39
    in desalination ..... 3—37-48
  17% Cr steels
    corrosion in sea water ..... 3—37-39
    in desalination ..... 3—37-48
Coatings
  in Ni superalloys ..... 1—43

Cobalt alloys
use in cutting tools ..... 3—55-56
Composites
fabrication
solid state processes ..... 1—8-9
liquid state processes ..... 1—9
molecular processes ..... 1—9
combination processes ..... 1—9
Condensers
of Cu alloys ..... 3—13-18
Contamination
in metals ..... 2—5
Copper
in Al alloys ..... 3—35
Copper alloys, specific types
Cu-Ni alloys
applications ..... 3—16-17
effect of films ..... 3—12-13
effect of oxygen ..... 3—12
effect of pollution ..... 3—20
effect of temperature ..... 3—13
fabricability ..... 3—18
heat transfer ..... 3—15, 17-18
Fe content ..... 3—19
performance of Cu-Ni condenser tubes ..... 3—13-15
properties ..... 3—11
stress-corrosion cracking ..... 3—21-22
Corrosion
of Al alloys ..... 3—34-35
of Ti ..... 3—27-28
Corrosion resistance
of welded joints in stainless steels ..... 4—7-9
Cracking
of welded joints in stainless steels ..... 4—9-11
Cutting tools
use of carbides ..... 3—54
use of ceramics ..... 3—54
use of Co alloys ..... 3—55-56
use of high speed steels ..... 3—55
Defects
in Ni superalloys ..... 1—39-43
Desalination
in Southern California ..... 3—5-10
U.S. Government program ..... 3—1-4
use of Al alloys ..... 3—30-36
use of Cu alloys ..... 3—10-26
use of steel ..... 3—37-48
use of Ti ..... 3—27-29
Diffusion bonding
of composites ..... 1—11-13
Dislocation
in Ni superalloys ..... 1—41
Dry-film lubricants ..... 2—29-30; 2—33
Electron beam welding
of stainless steels ..... 4—30
Explosive deformation
of Al alloys ..... 3—59-63
of steels ..... 3—59-63
Fabricability
of Cu alloys ..... 3—18
Fatigue properties
of Al castings ..... 1—25-27
of Mg castings ..... 1—25-27
Ferritic stainless steels ..... 4—4-7
corrosion resistance ..... 4—7
filler metals ..... 4—5, 7
postweld heat treatment ..... 4—6-7
welding procedure ..... 4—6
Fiber orientation
in B filaments ..... 1—19-20
Filler metals
for brazing ..... 4—53
for stainless steels ..... 4—4, 5-6, 7, 13
Flame-plated coatings ..... 2—32
Flash welding ..... 4—46-47
Flow strength
of martensitic steels ..... 4—55-60
Fluorocarbon resins
sliding and bearing applications ..... 2—18
Fracture
in Ti alloys ..... 1—53-58
of martensitic steels ..... 4—54-61
Friction ..... 1—1-3
effect of grain boundary ..... 2—49-51
effect of lattice parameters ..... 2—48-49
influence of atomic density ..... 2—51
influence of crystal structure ..... 2—45-47
influence of order-disorder reactions ..... 2—51-52
of Al_2O_3 ..... 2—22-24
of metals ..... 2—4-6
of plastics ..... 2—9-22
of solid lubricants ..... 2—33-43
Friction welding ..... 1—1-7
material properties ..... 1—4-5
welding speed and pressure ..... 1—4
Fusion welding
of stainless steels ..... 4—16-41
Gamma-prime precipitation
in Ni superalloys ..... 1—37-38, 41-42
Gas metal-arc welding ..... 4—23-26
minimizing hot cracking ..... 4—26
type of metal transfer ..... 4—24-25
welding wires ..... 4—26
Gas tungsten-arc welding ..... 4—19-23
automatic welding—cold wire ..... 4—21-22
automatic welding—hot wire ..... 4—22
multi-cathode welding ..... 4—22
spot welding ..... 4—22-23
welding procedure ..... 4—20-21
Grain boundary effects
effect on friction ..... 2—49-51
Grain structure
in Ni superalloys ..... 1—39-41
Graphite
in bearings ..... 2—57
Hard facing materials ..... 2—30-32
applications ..... 2—30-31
ultrahigh temperature methods ..... 2—31-32
Heat transfer
in Cu alloys ..... 3—15, 17-18
of Ti ..... 3—28-29
Heat treatment
after welding of stainless steels ..... 4—6-7
of Al ..... 3—51-53
High speed steels
use in cutting tools ..... 3—55
Iron
in Al alloys ..... 3—34-35
in Cu alloys ..... 3—19
Labyrinth seals
design ..... 2—63-64
factors influencing wear ..... 2—60-61
wear ..... 2—60-63
wear processes ..... 2—61-63
Laser welding
of stainless steels ..... 4—35-37
Liquid metal environment ..... 2—57
lubricants ..... 2—58
Liquid metals ..... 2—57
Low-vacuum welding
of stainless steels ..... 4—30-32
Lubricants and lubrication
in bearings ..... 2—58
in rolling bearings ..... 1—28-35
Magnesium castings, specific types
AZ91C-T6
casting factors ..... 1—24
fatigue properties ..... 1—25-27
tensile properties ..... 1—25-27
Martensitic stainless steels ..... 4—3-4
filler metal ..... 4—4-5
shielded metal-arc welding ..... 4—18-19
welding procedure ..... 4—4
Martensitic steels, specific types
9Ni-4Co-0.25C
ausforming properties ..... 4—59-60
fracture ..... 4—59-60
strain tempering ..... 4—59-60
tensile properties ..... 4—55
thermal and thermomechanical treatments ..... 4—54-55
9Ni-4Co-0.45C
ausforming properties ..... 4—60
fracture ..... 4—55-60
mechanical properties ..... 4—55-60
strain tempering ..... 4—56-59
strength vs. toughness ..... 4—58-59
tensile properties ..... 4—55
thermal and thermomechanical treatments ..... 4—54-55
Mechanical properties
effect of microstructure in Ni superalloys ..... 1—36-45
of martensitic steels ..... 4—54-59
Metal matrix composites ..... 1—18
Metropolitan Water District of Southern California
desalination plants ..... 3—5-10
power plants ..... 3—5-10
Mig welding ..... 4—23-26
Molecular processes
in composites ..... 1—9
Molybdenum
use in corrosive environment ..... 3—58-59
Nickel alloys, specific types
Ni-Cr alloys
sliding ..... 2—25-26
Ni-Mo alloys
sliding ..... 2—26-27
Nickel superalloys
B and Zr effects ..... 1—38-39
carbide precipitation ..... 1—38, 42
coatings ..... 1—43
dislocation arrangements ..... 1—41
effects of elements ..... 1—36
effect of exposure on mechanical properties ..... 1—41-43
environment ..... 1—43
formation of transition element phase ..... 1—42-43

gamma-prime precipitation ..... 1—37-38, 41-42
grain structure ..... 1—39-41
segregation and defects ..... 1—39, 43
Niobium
use in corrosive environment ..... 3—58
Nitrification
in stainless steels ..... 4—1-2
Nuclear fuel
for desalination plants ..... 3—5-10
for power plants ..... 3—5-10
Nylons
sliding and bearing applications ..... 2—18
Order-disorder reactions
in Au alloys ..... 2—51-52
Oxidation
in stainless steels ..... 4—1
Oxide films
in bearings ..... 2—57
Oxides
in metals ..... 2—5
Oxygen
in Cu alloys ..... 3—12
Phenolics
sliding and bearing applications ..... 2—18
Pitting
of stainless steels ..... 3—43-47
Plasma arc welding ..... 4—32-35
Plasma spraying
of composites ..... 1—14
Plastic vs. plastic
coefficients of friction ..... 2—15-16
Plastics
chemical constitution ..... 2—14
coefficients of friction ..... 2—15-16
effect of bulk temperature on friction ..... 2—13-14
effect of load on friction ..... 2—12-13
plastic vs plastic ..... 2—15-16
ploughing friction ..... 2—14
polymer friction ..... 2—11-15
sliding and bearing applications ..... 2—17-19
temperature of sliding surfaces ..... 2—13
wear ..... 2—16-17
Polycarbonates
sliding and bearing applications ..... 2—18
Polyimides
sliding and bearing applications ..... 2—18
Powder metallurgy
in composites ..... 1—9-11
Precipitation hardening stainless steels ..... 4—13-15
behavior in welding ..... 4—14-15
welding procedures ..... 4—15
Projection welding
of stainless steels ..... 4—46
Refractory metal alloys
in bearings ..... 2—55
Resin matrix composites ..... 1—17-18
Resistance welding
of stainless steels ..... 4—42-49
Rolling bearings ..... 1—28-35
film thickness between rollers ..... 1—33-35
lubricant pressures ..... 1—29-33
lubrication ..... 1—29-30
stress studies ..... 1—30-32
Seam welding
of stainless steels ..... 4—43-46
Shielded metal-arc welding ..... 4—16-19
electrode classification ..... 4—16-17
of ferritic steels ..... 4—18-19
of austenitic stainless steels ..... 4—17-18
of martensitic stainless steels ..... 4—18-19
Silicon carbide composites ..... 1—15-16
fabrication by electrodeposition ..... 1—14
fabrication by powder metallurgy ..... 1—9-11
Soldering ..... 4—50-52
cleaning after soldering ..... 4—51-52
joint design ..... 4—51
methods ..... 4—51
selection of flux ..... 4—51
selection of solder ..... 4—51
Solid lubricants ..... 2—33-43
failure mechanisms ..... 2—34, 38
friction and wear test apparatus ..... 2—37-38
lubricant-bearing interaction ..... 2—40-41
properties ..... 2—34
surface characteristics ..... 2—38-39
types of lubricant ..... 2—35-36
Spot welding
of stainless steels ..... 4—42-43
Stainless steel electrodes, tubular ..... 4—40-41
Stainless steels
brazing ..... 4—52-54
butt welding ..... 4—46-49
carburization ..... 4—1
corrosion in sea water ..... 3—39-48
effects of residual elements ..... 4—2-3
electron beam welding ..... 4—30
fusion welding ..... 4—16-41
gas metal-arc welding ..... 4—23-26
gas tungsten-arc welding ..... 4—19-23
in desalination ..... 3—37-48
influence of alloying elements ..... 4—2
laser welding ..... 4—35-37
low-vacuum welding ..... 4—30-32
microstructural effects during welding ..... 4—3-15
nitrification ..... 4—1-2
oxidation ..... 4—1
pitting ..... 3—43
plasma arc welding ..... 4—32-35
projection welding ..... 4—46
resistance welding ..... 4—42-49
seam welding ..... 4—43-46
soldering ..... 4—50-52
spot welding ..... 4—42-43
submerged arc welding ..... 4—26-30
Type 316
in desalination ..... 3—37-48
Steam turbine buckets ..... 2—64
Steels
corrosion in sea water ..... 3—37-39, 47
in desalination ..... 3—37-48
Steels, high-strength
explosive deformation ..... 3—59-63
stress-corrosion resistance ..... 3—59-63
Strain tempering
of martensitic steels ..... 4—56-59
Stress-corrosion
of Al alloys ..... 3—59-63
of steels ..... 3—59-63
Stress-corrosion cracking
of Cu alloys ..... 3—21-22
Submerged arc welding ..... 4—26-30
welding flux ..... 4—29
welding techniques ..... 4—29-30
welding wires ..... 4—29
Surface damage
of ceramics ..... 2—24-25
Tantalum
use in corrosive environment ..... 3—58
Tensile properties
of Al castings ..... 1—24-27
of Mg castings ..... 1—25-27
Thermal effects
in sliding surfaces ..... 2—2-3
Thermomechanical treatments
of martensitic steels ..... 4—54-55
Tig welding ..... 4—19-23
Titanium
corrosion ..... 3—27-28
heat transfer ..... 3—28-29
in desalination plants ..... 3—27-29
Titanium alloys
effect of lattice parameters on friction ..... 2—49
fracture in aqueous environment ..... 1—53-58
Titanium alloys, specific types
methods for correlating texture with biaxial strengths ..... 1—46-51
methods for predicting the biaxial fracture
envelope ..... 1—51-52
microstructure ..... 1—60-63
microstructure vs. exposure temperature ..... 1—61-62
microstructure vs. mechanical properties ..... 1—62-63
Tool steels
in bearings ..... 2—55
Tungsten
use in corrosive environment ..... 3—59
Turbine engines
wear ..... 2—29-32
U.S. Office of Saline Water ..... 3—1-4
Upset welding ..... 4—47-49
Wear
in turbine engines ..... 2—29-32
of abradable shrouds ..... 2—60-63
of labyrinth seals ..... 2—60-63
of metals ..... 2—6-8
of plastics ..... 2—16-17
Welding
of stainless steels ..... 4—1-15; 4—16-41; 4—42-49
Welding pressure
in friction welding ..... 1—4
Welding speed
in friction welding ..... 1—4
Zirconium
effect in Ni superalloys ..... 1—38-39

-46-49
-1
-39-48
-2-3
-30
-16-41
-23-26
-19-23
-37-48
-2
-35-37
-30-32
-3-15
-1-2
-1
-43
-32-35
-46
-42-49
-43-46
-50-52
-42-43
-26-30

-37-48
-64

-39, 47
-37-48

-59-63
-59-63

-56-59

-59-63
-59-63

-21-22
-26-30
-29
-29-30
-29

-24-25

-58

-24-27
-25-27

-2-3

-54-55
-19-23

-27-28
-28-29
-27-29

-49
-53-58

-46-51

-51-52
-60-63
-61-62
-62-63

-55

-59

-29-32
-1-4
-47-49

-29-32
-60-63
-60-63
-6-8
-16-17

-42-49

-4

-4

-38-39